

CONCERT GENETIC TESTING: LUNG DISORDERS

Reference Number: LA.CP.CG.12

Date of Last Revision 06/24

[Coding implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

OVERVIEW

One of the most common forms of inherited lung disorders is alpha-1 antitrypsin deficiency (AATD). AATD is an autosomal recessive genetic disorder that results in decreased production of the alpha-1 antitrypsin (AAT) protein, or production of abnormal types of the protein that are functionally deficient. Individuals with AATD have an increased risk to develop lung and liver disease. Genetic testing to diagnose AATD aids in directing proper treatment and identifying at-risk family members.

POLICY REFERENCE TABLE

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2023, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only and may not support medical necessity. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

NOTE: Coverage is subject to each requested code's inclusion on the corresponding LDH fee schedule. Non-covered codes are denoted (*) and are reviewed for Medical Necessity for members under 21 years of age on a per case basis. The non-covered codes will only be denoted in the table below and not throughout the policy. Please only reference the policy reference table for covered and non-covered codes.

The tests and associated laboratories and CPT codes contained within this document serve only as examples to help users navigate claims and corresponding criteria; as such, they are not comprehensive and are not a guarantee of coverage or non-coverage. Please see the [Concert Genetics Platform](#) for a comprehensive list of registered tests.

Criteria Sections	Example Tests (Labs)	Common CPT Codes	Common ICD Codes	Ref
Alpha-1 Antitrypsin Deficiency				
SERPINA1 Common Variant Analysis or Sequencing and/or Deletion/Duplication Analysis	Alpha-1 Antitrypsin (AAT) Mutation Analysis (Quest Diagnostics)	81332*	E88.01	1
	SERPINA1 Full Gene Sequencing and Deletion/Duplication (Invitae)	81479		
Other Covered Lung Disorders				
Other Covered Lung Disorders	See list below	81400*-81408*		2, 3, 4

OTHER RELATED POLICIES

This policy document provides criteria for Genetic Testing for Lung Disorders. Please refer to:

- **Genetic Testing: Multisystem Inherited Disorders, Intellectual Disability, and Developmental Delay** for criteria related to diagnostic testing for cystic fibrosis and other multisystem inherited disorders.
- **Genetic Testing: General Approach to Genetic and Molecular Testing** for criteria related to genetic testing for lung disorders and disease that are not specifically discussed in this or another non-general policy.

[back to top](#)

CRITERIA

It is the policy of health plans affiliated with Centene Corporation® that the specific genetic testing noted below is **medically necessary** when meeting the related criteria:

ALPHA-1 ANTITRYPSIN DEFICIENCY

SERPINA1 Common Variant Analysis or Sequencing and/or Deletion/Duplication Analysis

- I. *SERPINA1* common variant analysis (81332) or sequencing and/or deletion/duplication analysis (81479) to establish a diagnosis of alpha-1 antitrypsin (AAT) deficiency is considered **medically necessary** when:
 - A. The member/enrollee has any of the following:
 1. Abnormally low (less than 120 mg/dL) or borderline (90-140 mg/dL) alpha-1 antitrypsin levels (as measured by nephelometry), **OR**
 2. Early-onset emphysema (45 years of age or younger), **OR**
 3. Emphysema in the absence of additional risk factor (e.g., smoking, occupational dust exposure), **OR**
 4. Emphysema with prominent basilar hyperlucency, **OR**
 5. Otherwise unexplained liver disease, **OR**
 6. Necrotizing panniculitis, **OR**
 7. C-ANCA positive vasculitis (i.e., granulomatosis with polyangiitis), **OR**
 8. Bronchiectasis without evident etiology, **OR**
 9. A sibling with known AAT deficiency.
- II. *SERPINA1* common variant analysis (81332) or sequencing and/or deletion/duplication analysis (81479) to establish a diagnosis of alpha-1 antitrypsin deficiency is considered **investigational** for all other indications.

[back to top](#)

OTHER COVERED LUNG DISORDERS

The following is a list of conditions that have a known genetic association. Due to their relative rareness, it may be appropriate to cover these genetic tests to establish or confirm a diagnosis.

- I. Genetic testing to establish or confirm one of the following genetic lung disorders to guide management is considered **medically necessary** when the member/enrollee demonstrates clinical features* consistent with the disorder (the list is not meant to be comprehensive, see II below):
 - A. [Familial Pulmonary Fibrosis](#)
 - B. [Primary Ciliary Dyskinesia](#)
 - C. Pulmonary lymphangiomyomatosis (LAM)
 - D. Pulmonary alveolar proteinosis (PAP)

- II. Genetic testing to establish or confirm the diagnosis of all other lung disorders not specifically discussed within this or another medical policy will be evaluated by the criteria outlined in *General Approach to Genetic and Molecular Testing* (see policy for criteria).

*Clinical features for a specific disorder may be outlined in resources such as [GeneReviews](#), [OMIM](#), [National Library of Medicine](#), [Genetics Home Reference](#), or other scholarly source.

[back to top](#)

BACKGROUND AND RATIONALE

SERPINA1 Common Variant Analysis or Sequencing and/or Deletion/Duplication Analysis

American Thoracic Society and European Respiratory Society

The American Thoracic Society and European Respiratory Society published a joint statement on the diagnosis and management of individuals with alpha-1 antitrypsin deficiency (2003) which provided recommendations for diagnostic testing.

A normal range of plasma alpha-1 antitrypsin (measured via nephelometry) is 83/120 - 200/220 mg/dL. Individuals with borderline normal levels of plasma alpha-1 antitrypsin (90-140 mg/dL) or with abnormally low levels (below 120 mg/dL) should be evaluated for alpha-1 antitrypsin deficiency. (p. 826 and 827)

“The following features should prompt suspicion by physicians that their patient may be more likely to have AAT deficiency:

- Early-onset emphysema (age of 45 years or less)
- Emphysema in the absence of a recognized risk factor (smoking, occupational dust exposure, etc.)
- Emphysema with prominent basilar hyperlucency
- Otherwise unexplained liver disease
- Necrotizing panniculitis
- Anti-proteinase 3-positive vasculitis (C-ANCA [anti-neutrophil cytoplasmic antibody]-positive vasculitis)
- Family history of any of the following: emphysema, bronchiectasis, liver disease, or panniculitis
- Bronchiectasis without evident etiology...” (p. 820)

The statement also recommended that individuals with a sibling with AAT deficiency should also be offered genetic testing. (p. 827)

[back to top](#)

Reviews, Revisions, and Approvals	Revision Date	Approval Date	Effective Date
Converted corporate to local policy.	09/23	11/27/23	
Semi-annual review. Overview, coding, reference-table, background and references updated. Throughout policy: replaced “coverage criteria” with “criteria. For Policy Reference Table: under “SERPINA1 Common Variant...” added “E88.01”. For Background and Rationale; under “SERPINA1 Known Familial Variant Analysis: replaced “inheritance patterns” with “genetic testing”.	12/23	2/27/24	
Semi-annual review. In <i>SERPINA1</i> Common Variant Analysis or Sequencing and/or Deletion/Duplication Analysis criteria, updated criteria to better align with current guidelines, allowing for an expansion to coverage. In <i>SERPINA1</i> Known Familial Variant Analysis criteria, moved criteria to policy “Genetic Testing: General Approach to Genetic and Molecular Testing” to consolidate criteria for known familial variant tests. Minor rewording for clarity throughout. Coding, reference-table, background and references updated.	06/24	9/4/24	10/4/24

References

1. American Thoracic Society; European Respiratory Society. American Thoracic Society/European Respiratory Society statement: standards for the diagnosis and management of individuals with alpha-1 antitrypsin deficiency. *Am J Respir Crit Care Med.* 2003;168(7):818-900. doi:10.1164/rccm.168.7.818
2. Adam MP, Ardinger HH, Pagon RA, et al., editors. GeneReviews® [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2023. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK1116/>
3. Online Mendelian Inheritance in Man, OMIM®. McKusick-Nathans Institute of Genetic Medicine, Johns Hopkins University (Baltimore, MD). World Wide Web URL: <https://omim.org/>
4. MedlinePlus [Internet]. Bethesda (MD): National Library of Medicine (US). Available from: <https://medlineplus.gov/genetics/>.

[back to top](#)

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care and are solely responsible for the medical advice and treatment of member/enrollees. This clinical policy is not intended to recommend treatment for member/enrollees. Member/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, member/enrollees, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, member/enrollees and their representatives agree to be bound by such terms and conditions by providing services to member/enrollees and/or submitting claims for payment for such services.

©2023 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademarks exclusively owned by Louisiana Healthcare Connections.